
**CHECKLIST #0232 FOR THE APPROVAL OF:
Bullet Resistant (Glazed Systems)**

- Basic Requirements Checklist.
- In addition of the Approval Documents Requirements of the Product's Category, the set of the manufacturer's approval documents, must also include:
 - a. Typical cross-section of mullions, extrusions, etc. including dimensions,
 - b. Assembly drawing indicating reinforcements,
 - c. Fastener diagram indicating type, size, embedment & location corresponding with type used during testing,
 - d. Hardware description, manufacturer brand name, grade and their corresponding strike plate,
 - e. Elevation details, and Installation details,
 - f. Limit of use indicating Threat/ Performance level achieved through testing.
- Calculations verifying the anchoring method used in the test.
- One set of manufacturer's design drawings marked and verified by the testing laboratory.

The following current laboratory tests and test reports in compliance with protocol TAS 301.

- Testing Per Corresponding Product Checklist e.g. Window, Door, StoreFront, etc.
- ASTM F3279-24 (Note: Each level to be qualified must be tested) and/ or
- UL-752-12 (OCT 17, 2023) (Note: Each level to be qualified must be tested).

Notes:

1. If the system has plastic as a component, add plastic checklist to this requirement.
2. Tensile test, if applicable – 3 specimens taken from tested panel samples.
3. Each product type shall meet requirement per applicable product checklist.
4. If also, seeking compliance with Simulated Active Shooter Standard, add Forced Entry Resistant of the Fenestration System checklist.

